



RESIDENTIAL SWINGGATE



ADJUSTABLE POSITIVE STOPS

- Stops for the Open and Closed Limits

FIELD SERVICE REPAIRABLE

Photo Eye and Receiver Sold Separately

BREAK AWAY JOINT

- Operator will Break Free of the Gate in the Event of an Impact, Preventing and Reducing Damage

SOLAR COMPATIBLE



2 WIRE CONNECTION TO CONTROL BOARD

- Calls for Simple Connection to the Board

BATTERY BACKUP INCLUDED

- · 2 batteries included in case of power outage
- · Up to 400 cycles on battery back up

LIGHTNING PROTECTION

- · Advanced lightning strike protection up to 20,000 volts / 10,000 amps
- On-board surge protection

PROTECTION

· UV powder coating on aluminum alloy chassis provides additional layer of protection against corrosion and weather elements

LOCKABLE MANUAL RELEASE

· Mechanical disengagement so the gate can be moved freely

LARGE BOX OPTION

• A bigger box option that fits up to (2) 35 amp hour batteries is available

Operational Voltage	24 VDC 1/2 HP
Main Power Source Options	115 / 230 VAC - 24 V AC/DC
Operating Angle	135° Max
Battery Backup	400 Cycles
Operating Speed	12-16 seconds per 90°
Operating Temperature	-20°F up to +160°F
Max Gate Capacity	850 lbs/10' or 550 lbs/16'
UL Classification	Class 1 Residential ONLY
7.7	1


- Repair or Replace Parts On Site

Box for Control **Board** Included!

Control Box Item # **GTVAECUE4**

E-4 CONTROL BOARD

- 1 board is designed to control a single or dual gate, no other boards needed
- · Direct solar input with dedicated port for solar panel
- · Low power consumption board with automatic sleep mode
- · Efficient battery charger



Chicago: 708-345-6660 Houston: 832-467-5400 Austin: 512-717-3060 www.tsdistributors.com



Wirelessly Open/ Close Your Gate from Anywhere in the World

INTRODUCING

MONITOR

Works with All Viking Operators with an E4 or V-Flex Board Except the Yellow V-Flex

WIFI: No Need to Access Home/Building

Instant Notifications on All Gate Operations and Actions



View All Operator History, Diagnostics and More on Your Phone



Easily Interface to Your Android or Apple Mobile Devices



E-4 & V-Flex Control Board



Direct access from anywhere in the world









Houston: 832-467-5400 | Austin: 512-717-3060 | Chicago: 708-345-6660 | www.tsdistributors.com